



NTN BEARING DRIVESHAFT,INC.



0.984 Inch | 25 Millimeter x 2.441 Inch | 62
Millimeter x 1 Inch | 25.4 Millimeter SKF 3305
A-2RS1/C3 Angular Contact Ball Bearings

Bearing No. 3305 A-2RS1/C3

3305 A-2RS1/C3 Bearing 2D drawings and 3D CAD
models

Category	Angular Contact Ball Bearings
Inventory	10.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.368
EAN	7316572567944
Product Group	B00152
Enclosure	2 Seals
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	30 Degree
Internal Clearance	C3-Loose
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	25MM Bore; 62MM Outside Diameter; 25.4MM Width; 2 Seals; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; No Filling Slot;



NTN BEARING DRIVESHAFT,INC.

	No Snap Ring; C3-Loose; Steel Cage; 30 Degree; 1 (Single)
Other Features	NBR Contact Seal
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	3305 A-2RS1/C3
Weight / LBS	0.811
d	0.984 Inch 25 Millimeter
B	1 Inch 25.4 Millimeter
D	2.441 Inch 62 Millimeter
bore diameter:	25 mm
operating temperature range:	-40 to +210 ° F
outside diameter:	62 mm
cage material:	Steel
overall width:	1.0000 in
outer ring width:	25.4 mm
contact angle:	30 °
maximum rpm:	7500 RPM
row type & fill slot:	Double-Row Non-Fill Slot
finish/coating:	Uncoated
internal clearance:	C3
precision rating:	Not Rated
closure type:	Double Seal
fillet radius:	1 mm
radial dynamic load capacity:	32 kN
series:	33



NTN BEARING DRIVESHAFT, INC.

radial static load capacity:

20-2/5 kN